

Signature Series Ejector Pins

For Citizen Machines

Ejector Pin Bases With
High Pressure Air or Coolant Thru




Interchangeable Tips
With High Pressure
Air or Coolant Thru

Ejector Pins With
High Pressure Air
or Coolant Thru

M10 to M8 Adapter For Using M8 Ejector
Pin Bases & Stand-Alone Ejector Pins With
25 & 32mm Machines



- *L12, K12 Machine Packages
C16, A20, L20, M20 Machine Packages
L25, L32, A32, M32 Machine Packages*
- *Interchangeable Tips Cut Down On
Cost and Reduces Operation Time*
- *High Pressure Air & Coolant Thru Ready*
- *Multiple Tip Sizes For Different
Collet Types & Sizes*
- *Made From 303 Stainless Steel*



www.genswiss.com | 1-(413)-562-4800

sales@genswiss.com

12mm Machines

Machine(s)	Kit No.
Citizen K12 Citizen L12	EJK-CIT12-KIT-A

Each Kit Includes...


Description	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
Ejector Base	2	1.55	.160	4-48 (female)	No
Ejector Base		1.55	.310	10-32(female)	Yes
Interchangeable Tips	8	.850	.040*, .060*, .090*, .120*	4-48(male)	No
		1.034	.040*, .093, .200, .310	10-32(male)	(3)Yes, (1)No

*No Coolant Thru

12mm Machines



M5
Female



16mm Machines

Machine(s)	Kit No.
Citizen C16	EJK-CIT16-KIT-A

Each Kit Includes...


Description	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
Ejector Base	1	1.6	.276	10-32(female)	Yes
Interchangeable Tips	5	.50	.500	10-32(male)	Yes
		1.034	.040*, .070*, .093, .200,	10-32(male)	(2)Yes, (2)No
Stand-Alone Ejectors	4	1.6	.120*, .240, .300, .394	M8(male)	(3)Yes, (1)No

*No Coolant Thru

16mm Machines



M8
Female



20mm Machines

Machine(s)	Kit No.
Citizen A20 Citizen L20 Citizen M20	EJK-CIT20-KIT-A

Each Kit Includes...


Description	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
Ejector Base	1	1.6	.276	10-32(female)	Yes
Interchangeable Tips	5	.50	.625	10-32(male)	Yes
		1.034	.040*, .070*, .093, .200,	10-32(male)	(2)Yes, (2)No
Stand-Alone Ejectors	4	1.6	.120*, .240, .300, .394	M8(male)	(3)Yes, (1)No

*No Coolant Thru

20mm Machines



M8
Female



25 & 32mm Machines

Each Kit Includes...

Machine(s)	Kit No.
Citizen L25	EJK-CIT32-KIT-A
Citizen A32	
Citizen L32	
Citizen M32	

Description	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
Ejector Base	1	1.6	.276	10-32(female)	Yes
Interchangeable Tips	5	.50	.625	10-32(male)	Yes
		1.034	.040*, .070*, .093, .200	10-32(male)	(2)Yes, (2)No
Stand-Alone Ejectors	4	1.6	.120*, .240, .300, .394	M8(male)	(3)Yes, (1)No
Adapter M10-M8	1	.80	.394	M10(male) M8(female)	Yes

*No Coolant Thru

25 & 32mm Machines




M10
Female



Interchangeable Ejector Tips Kit


Kit No.	Machine(s)	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
EJK-1032-KIT-A	K12, L12, C16, A20,L20,M20, L25, A32,L32,M32	9	1.034	.040	10-32	No
			1.034	.070	10-32	
			1.034	.093	10-32	
			1.034	.093	10-32	Yes
			1.034	.120	10-32	
			1.034	.150	10-32	
			1.034	.200	10-32	
			1.034	.250	10-32	
			1.034	.310	10-32	
EJK-0448-KIT-A	L12, K12	4	.850	.040	4-48	No
			.850	.060	4-48	
			.850	.090	4-48	
			.850	.120	4-48	



Important: This kit only contains the interchangeable ejector tips and requires the ejector base from the other kits.

Stand-Alone Ejector Pin Kit

Machine(s)	Kit No.	Pieces	Length (in)	Diameter (in)	Thread	Coolant Thru
C16, A20,L20,M20 L25, A32,L32,M32	EJK-M8-KIT-A	4	1.6	.120	M8	No
			1.6	.240	M8	Yes
			1.6	.300	M8	
			1.6	.394	M8	



Don't See Your Machine Type?
Give us a call or email.
Tell us your ejector pin stroke and thread size.

sales@genswiss.com

1-413-562-4800



GSM0009